

- Ackerman, J. M., Nocera, C. C. & Bargh, J. A. Incidental haptic sensations influence social judgments and decisions. *Science* **328**, 1712-1715 (2010)
- Agren, G., Lundeborg, T., Uvnäs-Moberg, K. & Sato, A. The oxytocin antagonist 1-deamino-2-D-Tyr-(Oet)-4-Thr-8-Orn-oxytocin reverses the increase in the withdrawal response latency to thermal, but not mechanical nociceptive stimuli following oxytocin administration or massage-like stroking in rats. *Neurosci Lett* **187**, 49-52 (1995)
- Ahnert L1, Gunnar MR, Lamb ME, Barthel M. Transition to child care: associations with infant-mother attachment, infant negative emotion, and cortisol elevations. *Child Dev.* 2004 May-Jun;75(3):639-50.
- Ainsworth, M. D. S. & Bell, S. M. Attachment, exploration and separation: Illustrated by the behaviour of one-year-olds in a strange situation. *Child development* **41**, 49-67 (1970)
- Ainsworth, M. *Infancy in Uganda*. Johns Hopkins, Baltimore (1967)
- Anisfeld, E., Casper, V., Nozyce, M. & Cunningham, N. Does infant carrying promote attachment? An experimental study of the effects of increased physical contact on the development of attachment. *Child Development* **61**, 1617-1627 (1990)
- Ann N Y Acad Sci. 2015 Mar;1337:45-52. doi: 10.1111/nyas.12649. Rhythm and interpersonal synchrony in early social development. Trainor LJ1, Cirelli L.
- Barnett, L. Keep in touch: the importance of touch in infant development. *Infant Observation* **8**, 115-123 (2005)
- Başar, E. & Güntekin, B. Darwin's evolution theory, brain oscillations, and complex brain function in a new "Cartesian view". *Int J Psychophysiol* **71**, 2-8 (2009)
- Beebe, B. et al. The origins of 12-month attachment: a microanalysis of 4-month mother-infant interaction. *Attach Hum Dev* **12**, 3-141. (2010)
- Bliss, T.V. & Lomo, T. Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J Physiol.* **232**, 331-356 (1973)
- Bowlby, J. The nature of the child's tie to his mother. Reprinted from: *International Journal of Psycho-Analysis* **39**, 350-373 (1958)
- Brain Cogn. 2011 Nov;77(2):231-6. Captured by motion: dance, action understanding, and social cognition. Sevdalis V1, Keller PE.
- Brossard, L. M. & Décarie, T. G. Comparative reinforcing effect of eight stimulations on the smiling response of infants. *J child psychol psychiatry* **9**, 51-59 (1968)
- Carey LM1, Abbott DF, Harvey MR, Puce A, Seitz RJ, Donnan GA.
- Chugani, H. T. et al. Local Brain Functional Activity Following Early Deprivation: A Study of Postinstitutionalized Romanian Orphans. *NeuroImage* **14**, 1290-1301 (2001)
- Chugani, H.T. A critical period of brain development: studies of cerebral glucose utilization with PET. *Preventive Medicine* **27**, 184-188 (1998)

- CONCLUSION:

- Cox T, Mackay C. Psychosocial factors and psychophysiological mechanisms in the aetiology and development of cancers. *Soc Sci Med.* 1982;16(4):381-96.
- Cullen, L. A., Barlow, J. H. & Cushway, D. (2005). Positive touch, the implications for parents and their children with autism: an exploratory study. *Complementary therapies in clinical practice*, **11**(3), 182-189.
- Daskalakis: mild stress enhances development
- Deshpande S1, Nagendra HR, Raghuram N. A randomized control trial of the effect of yoga on verbal aggressiveness in normal healthy volunteers. *Int J Yoga.* 2008 Jul;1(2):76-82.
- Diego, M.A. et al. Aggressive adolescents benefit from massage therapy. *Adolescence.* 2002 Fall;37(147):597-607
- Different topological organization of human brain functional networks with eyes open versus eyes closed.
- Ditzen B. et al. Effects of different kinds of couple interaction on cortisol and heart rate responses to stress in women. *Psychoneuroendocrinology* **32**, 565-574 (2007)
- Donishi T, Kimura A, Imbe H, Yokoi I, Kaneoke Y.

- Dunbar, R. I. The social role of touch in humans and primates: behavioural function and neurobiological mechanisms. *Neurosci and Biobehav Rev* **34**, 260–268 (2010)
- Emeny, R. T. et al. Oxytocin-induced coping with stressful life events in old age depends on attachment: findings from the cross-sectional KORA Age study. *J Psy Neu En* **56**, 132-142 (2015)
- Eur J Neurosci. 2002 Jul;16(2):330-8. Repeated massage-like stimulation induces long-term effects on nociception: contribution of oxytocinergic mechanisms. Lund I. et al.
- Fan, Y. et al. Early Life Stress Modulates Amygdala-Prefrontal Functional Connectivity: Implications for Oxytocin Effects. *Human Brain Mapping* **35**:5328–5339 (2014)
- Field T1. Adolescence. 2002 Winter;37(148):735-49. Violence and touch deprivation in adolescents.
- Field, T. The treatment of depressed mothers and their infants. In: Murray, L. & Cooper, P. J. (Eds.) *Post partum depression & child development*. Guilford, New York (1997). [https://books.google.de/books?hl=de&lr=&id=F1bQ3JuqRgAC&oi=fnd&pg=PA221&dq=The+treatment+of+depressed+mothers+and+their+infants.&ots=wsV78S\\_FzC&sig=ItPGTcjInfnqRbgtVRwCHU3NDj0#v=onepage&q=The%20treatment%20of%20depressed%20mothers%20and%20their%20infants.&f=false](https://books.google.de/books?hl=de&lr=&id=F1bQ3JuqRgAC&oi=fnd&pg=PA221&dq=The+treatment+of+depressed+mothers+and+their+infants.&ots=wsV78S_FzC&sig=ItPGTcjInfnqRbgtVRwCHU3NDj0#v=onepage&q=The%20treatment%20of%20depressed%20mothers%20and%20their%20infants.&f=false)
- Field, T. Massage therapy research review. *Complement Ther Clin Pract* **20** 224-229 (2014)
- Field, T. Pregnancy and labor massage. *Expert Rev Obstet Gynecol* **5**, 177-181 (2010)
- Field, T. Touch for socioemotional and physical well-being: A review. *Developmental Review* **30**, 367–383 (2010)
- Field, T., Ironson, G., Scafidi, F., Nawrocki, T., Goncalves, A., Burman, I., Pickens, J., Fox, N., Schanberg, S. & Kuhn, C. (1996). Massage therapy reduces anxiety and enhances EEG pattern of alertness and math computations. *International Journal of Neuroscience*, **86**(3-4), 197-205.
- Findley T. W. Fascia Research from a Clinician/Scientist's Perspective. *Int J Ther Massage Bodywork*. 2011;4(4):1-6. Epub 2011 Dec 31.
- Francis, S. et al. The representation of pleasant touch in the brain and its relationship with taste and olfactory areas. *NeuroReport* **10**, 453-459 (1999)
- Fredrickson, B. L. The role of positive emotions in positive psychology: The broaden-and-built theory of positive emotions. *Am Psychol* **56**, 218-226 (2001)
- Front Psychol. 2015 Apr 16;6:445. The calming effect of maternal carrying in different mammalian species. Esposito G1, Setoh P2, Yoshida S3, Kuroda KO4.
- Gander, M. & Buchheim, A. Attachment classification, psychophysiology and frontal EEG asymmetry across the lifespan: a review. *Front Hum Neurosci*. 2015 Feb 19;9:79.
- Gordon I. Et al. Brain mechanisms for processing affective touch. *Hum Brain Mapp*. 2013 Apr;34(4):914-22. doi: 10.1002/hbm.21480. Epub 2011 Nov 29.
- Gordon, I., Zagoory-Sharon, O., Leckman, J. F., Feldman, R. Oxytocin and the development **of parenting** in humans. *Biol Psychiatry* **68**, 377-382 (2010)
- Grandin, T. Calming effects of deep touch pressure in patients with autistic disorder, college students, and animals. *Journal of Child and Adolescent Psychopharmacology* **2**, 63-72 (1992)
- Grewen, K. M., Anderson, B. J., Girdler, S.S. & Light, K.C. Warm partner contact is related to lower cardiovascular reactivity. *Behavioral Medicine*, **29**(3), 123-130 (2003)
- Grossmann, K. et al. The Uniqueness of the Child–Father Attachment Relationship: Fathers' Sensitive and Challenging Play as a Pivotal Variable in a 16-year Longitudinal Study. *Social Development* **11**, pages 301–337, (2002)
- Guéguen, N. & Fischer-Lokou, J. Another evaluation of touch and helping behaviour. *Psychol Rep* **92**, 62–64 (2003) **CL 6080 FU Campusbibliothek Band 92 Präsenbestand**
- Guy Standing India's experiment in basic income grants", *Global Dialogue*, Vol.3, No.5, 24-26 (2013)
- Harlow, H. F. The nature of love. *American Psychologist* **13**, 673-685 (1958)
- Hassler, R. Regulation der psychischen Aktivität. In: *Hirnforschung und Psychiatrie*. Colloquium Verlag, Berlin (1971)
- Heart Lung. Energy conservation during skin-to-skin contact between premature infants and their mothers. 1990 Sep;19(5 Pt 1):445-51.

- Hebb, D. O. *The Organization of Behavior*. Wiley, New York (1949)
- **Helliwell, J. F. & Putnam, R. D. The Social Context of Well-Being. In: Philosophical Transactions: Biological Sciences Vol. 359, No. 1449, The Science of Well-being: Integrating Neurobiology, Psychology and Social Science (Sep. 29, 2004), pp. 1435-1446 (2004)**
- Hengartner MP *Personal Ment Health*. 2015 Jun 1. Severity of personality disorders and domains of general personality dysfunction related to attachment.
- **Henry JP1, Wang S. Psychoneuroendocrinology. 1998 Nov;23(8):863-75. Effects of early stress on adult affiliative behavior.**
- Hertenstein, M. J. Touch: its communicative functions in infancy. *Journal of Human Development* **45**, 70-94 (2002)
- Hertenstein, M. J., Verkamp, J. M., Kerestes, A. M. & Holmes, R. M. The communicative functions of touch in humans, nonhuman primates, and rats: a review and synthesis of the empirical research. *Genet Soc Gen Psychol Monogr.* **132**, 5-94 (2006)
- Hu, J. et al. *Hum Brain Mapp*. 2015 Jun;36(6):2132-46. Feb 9. Oxytocin selectively facilitates learning with social feedback and increases activity and functional connectivity in emotional memory and reward processing regions. (2015)
- Huppert, F. A. & Piercy, M. Recognition memory in amnesic patients: effect of temporal context and familiarity of material. *Cortex* **12**, 3-20 (1976)
- *Int J Offender Ther Comp Criminol*. 2012 Jun;56(4):557-72. 2011 Mar 14. Perceived parental attachment, personality characteristics, and cognition in male incest. Lu YC1, Lung FW.
- **IsHak role in enhancing well-being: A literature review Waguih William IsHak a,b,c, \*, Maria Kahloon d, Hala Fakhry e Journal of Affective Disorders 130 (2011) 1-9**
- *J Autism Dev Disord*. 2013 Jan;43(1):224-9. Brief report: oxytocin enhances paternal sensitivity to a child with autism: a double-blind within-subject experiment with intranasally administered oxytocin. **Naber FB1, Poslawsky IE, van Ijzendoorn MH, van Engeland H, Bakermans-Kranenburg MJ.**
- James, W. *The Principles of Psychology*. Dover Publications, New York (1950)
- **Jokinen J. et al. Low CSF oxytocin reflects high intent in suicide attempters. Psychoneuroendocrinology 37, 482-490 (2012)**
- **Kangaroo field**
- Kennell, J. H., Trause, M. A. & Klaus, M. H. Evidence for a sensitive period in the human mother. *Ciba Foundation Symposium* **33**, 87-101 (1975)
- **Kim, P. et al. Perceived quality of maternal care in childhood and structure and function of mothers' brain. Developmental Science 13 (4), 662-673 (2010)**
- Klaus, M. H. Touching during and after childbirth. In: Field, T. (Ed.) *Touch in early Development*. Erlbaum, New Jersey (1995) **kopieren/foto**
- Korraa, A. A., El Nagger, A. A., Mohamed R. A., & Helmy, N. M. Impact of kangaroo mother care on cerebral blood flow of preterm infants. *Ital J Pediatr* **40** 83 (2014)
- Kunde, W., Hoffmann, J. & Zellmann, P. The impact of anticipated action effects on action planning. *Acta Psychol.* **109**, 137-155 (2002)
- Lieberman, D. A. *Learning: Behavior and Cognition*. Wadsworth, Pacific Grove (1993)
- **Light, K., Grewen, K. M. & Amico, J. More frequent partner hugs and higher oxytocin levels are linked to lower blood pressure and heart rate in premenopausal women. Biol Psychol 69, 5-21 (2005)**
- Liley, A. W. The foetus as a personality. *Aust NZ J Psychiatry* **6** (1972)
- Liu D. et al. Maternal care, hippocampal glucocorticoid receptors, and hypothalamic-pituitary-adrenal responses to stress. *Science* **277**, 1659-1662 (1997)
- Liu D. Maternal care, hippocampal synaptogenesis and cognitive development in rats. *Nat Neurosci* **3**, 799-806 (2000)
- **LJ Luecken Childhood attachment and loss experiences affect adult cardiovascular and cortisol function - Psychosomatic Medicine, 1998**

- Love, T. M. Oxytocin, motivation and the role of dopamine. *Pharmacol Biochem Behav* **119**, 49-60 (2014)
- M. D. Gumert & Ho, M. H. The trade balance of grooming and its coordination of reciprocation and tolerance in Indonesian long-tailed macaques (*Macaca fascicularis*). *Primates* **49**, 176-185 (2008)
- **Mackinnon A1, Henderson AS, Andrews G. Parental 'affectionless control' as an antecedent to adult depression: a risk factor refined. *Psychol Med.* 1993 Feb;23(1):135-41.**
- **Main, M. (1990). Parental aversion to infant-initiated contact is correlated with the parent's own rejection during childhood: The effects of experience on signals of security** with respect to attachment. In K.E. Barnard & T.B. Brazelton (Hrsg.), *Touch: The foundation of experience: Full revised and expanded proceedings of Johnson & Johnson*
- Main, M., & Stadtman, J. Infant response to rejection of physical contact by the mother. *J Am Acad Child Psychiatry* **20**, 292-307 (1981)
- Martin, L. J. et al. Social deprivation of infant rhesus monkeys alters the chemoarchitecture of the brain: I. Subcortical regions. *J Neurosci* **11**, 3344-3358. (1991)
- Matsunaga, M. et al. Profiling of serum proteins influenced by warm partner contact in healthy couples. *Neuro Endocrinol Lett* **30**, 227-236 (2009)
- **McGlone F. et al. Touching and feeling: differences in pleasant touch processing between glabrous and hairy skin in humans. *Eur J Neurosci* 35, 1782-1788 (2012)**
- McGuire P. K. et al. Functional anatomy of inner speech and auditory verbal imagery. *Psychol Med.* **26**, 29-38 (1996)

- METHODS:

- Miyawaki Y. et al. Visual image reconstruction from human brain activity using a combination of multiscale local image decoders. *Neuron* **60**, 915-929 (2008)
- Montagu, A. *Touching: The Human Significance of the Skin*. Harper & Row, New York (1978)
- Morhenn V1, Beavin LE, Zak PJ. Massage increases oxytocin and reduces adrenocorticotropin hormone in humans. *Altern Ther Health Med.* 2012 Nov-Dec;18(6):11-8.
- Müller, A. Visuelle Prototypen und die physikalischen Dimensionen von Attraktivität. In: M Hassebrauck, M. (Ed.) *Physische Attraktivität*. Hogrefe, Göttingen (1993)
- **Narita K. et al. *Prog Neuropsychopharmacol Biol Psychiatry.* 2010 May 30;34(4):624-31. Relationship of parental bonding styles with gray matter volume of dorsolateral prefrontal cortex in young adults.**
- **Neonatal tactile stimulation reverses the effect of neonatal isolation on open-field and anxiety-like behavior, and pain sensitivity in male and female adult Sprague-Dawley rats A. Imanaka, *Behavioural Brain Research* 186 (2008) 91-97 EXPLOR**
- Neurorehabil Neural Repair. 2011 Jun;25(5):443-57. doi: 10.1177/1545968310395777. Epub 2011 Mar 7. Relationship between touch impairment and brain activation after lesions of subcortical and corticatosomatosensory regions.
- Neuroscience. 2011 Feb 3;174:200-15. doi: 10.1016/j.neuroscience.2010.11.041. Epub 2010 Nov 25.
- **Nummenmaa L1,**

- OBJECTIVE:

- Ouchi Y1 et al. Changes in cerebral blood flow under the prone condition with and without massage. *Neurosci Lett.* 2006 Oct 23;407(2):131-5. Epub 2006 Sep 14.
- Oxytocin and enhancement of the positive valence of social affiliation memories: an autobiographical memory study. Cardoso C1, Orlando MA, Brown CA, Ellenbogen MA.
- Petersson M1, Eklund M, Uvnäs-Moberg K. Oxytocin decreases corticosterone and nociception and increases motor activity in OVX rats. *Maturitas.* 2005 Aug 16;51(4):426-33.
- Piaget, *The Construction of Reality in the Child*. London: Routledge (1955) Buch oder Artikel?
- Pinel, J. P. J. *Biopsychologie*. Spektrum Akademischer Verlag, Heidelberg (1997)
- Possemeyer, I. Das Gedächtnis des Körpers. *GEO* 2 (2013)

- Proc Natl Acad Sci U S A. 2012 Jun 12;109(24):9599-604. doi: 10.1073/pnas.1206095109. Epub 2012 May 23. Emotions promote social interaction by synchronizing brain activity across individuals.
- Proc Natl Acad Sci U S A. 2012 Jun 12;109(24):9599-604. Emotions promote social interaction by synchronizing brain activity across individuals.
- Psychoneuroendocrinology. 2007 Jun;32(5):565-74. Epub 2007 May 11. Effects of different kinds of couple interaction on cortisol and heart rate responses to stress in women. Ditzen B1
- **Rapaport, M. H., Schettler, P. & Bresee C. A preliminary study of the effects of repeated massage on hypothalamic-pituitary-adrenal and immune function in healthy individuals: a study of mechanisms of action and dosage. J Altern Complement Med. 2012 Aug;18(8):789-97.**
- **rat handling**
  - RESULTS:
    - Roberts, A. L. et al. Association of maternal exposure to childhood abuse with elevated risk for autism in offspring. *JAMA Psychiatry* **70**, 508-515 (2013)
    - **Rolls, E. T. et al. Representations of pleasant and painful touch in the human orbitofrontal and cingulate cortices. *Cereb Cortex* **13**, 308–317 (2003)**
    - Salleh MR1. Life event, stress and illness. *Malays J Med Sci.* 2008 Oct;15(4):9-18.
    - Schanberg, S. (1995). The genetic basis for touch effects. In: Field, T. (Hrsg.) Touch in early development. New Jersey: Erlbaum.

- Scheele D1, **Oxytocin enhances brain reward system responses in men viewing the face of their female partner.**

- Scher, M.S. et al. Neurophysiologic assessment of brain maturation after an 8-week trial of skin-to-skin contact on preterm infants. *Clin Neurophysiol* **120**, 1812-1818 (2009)
- **Schore**
- **Science. 1983 Jan 7;219(4580):81-3. Vaginal stimulation: an important determinant of maternal bonding in sheep. Keverne EB, Levy F, Poindron P, Lindsay DR.**
- Semler R.b Harv Bus Rev. 2000 Sep-Oct;78(5):51-3, 56-8, 198.How we went digital without a strategy.
- **Shah, P. E., Fonagy, P. & Strathearn, L. Is attachment transmitted across generations? The plot thickens. *Clin Child Psychol Psychiatry.* Jul;15(3):329-45 (2010)**
- Shultz, S. & Dunbar, R.I. The evolution of the social brain: anthropoid primates contrast with other vertebrates. *Proc Biol Sci* **274**, 2429–2436 (2007)
- **Sleep/deprivation**
- Soc Neurosci. 2014;9(2):186-95. doi: 10.1080/17470919.2013.873079. Epub 2014 Jan 6.
- **Stack & Muir 1992 still face**
- Stoop, R. Neuromodulation by oxytocin and vasopressin in the central nervous system as a basis for their rapid behavioral effects. *Curr Opin Neurobiol.* **29**, 187-193 (2014)
- Sub-threshold cross-modal sensory interaction in the **thalamus**: lemniscal auditory response in the medial geniculate nucleus is modulated by **somatosensory** stimulation.

- thalamus associativ touch auswählen
  - **Touch and Smell in Field**
  - **Tsuji S. et al. Salivary oxytocin concentrations in seven boys with autism spectrum disorder received massage from their mothers: a pilot study. *Front Psychiatry*. 2015 Apr 21;6:58.**
  - Uvnäs-Moberg, K. Physiological and endocrine effects of social contract. In: Carter, C. S., Lederhendler, I. I. & Kirkpatrick, B. (Eds.), *The integrative Neurobiology of Affiliation*. MIT Press, Cambridge (1999)
  - Vargas-Martinez F. et al. Neuropeptides as neuroprotective agents: Oxytocin a forefront developmental player in the mammalian brain *Progress in Neurobiology* 123 (2014) 37–78
  - Xu P,
  - *Z Psychosom Med Psychother*. 2005;51(1):57-80. [Oxytocin, a mediator of anti-stress, well-being, social interaction, growth and healing]. Uvnas-Moberg K1, Petersson M.
- 
- A total of 19 stroke survivors with touch impairment were investigated using fMRI and a touch discrimination paradigm 1-month poststroke; 11 had subcortical and 8 cortical sensory lesions; 12 age-matched healthy controls were also studied. Mean task-related contrast images were regressed with sensory impairment using random effects analysis for each subgroup and the total group.
  - The findings provide novel evidence of neural correlates of poststroke touch impairment involving a distributed network of ipsilesional SI and SII, the contralesional thalamus, and frontal attention regions, particularly following subcortical lesions. Further systematic investigation of a modulatory role for ipsilesional SI, the thalamus, and frontal attention regions in sensory processing and recovery is warranted, particularly given implications for rehabilitation.
  - The neural basis underlying somatosensory impairment and recovery poststroke is virtually unexplored.
  - There was no significant difference in touch impairment between stroke subgroups. Touch discrimination of the affected hand correlated negatively with task-related activation in the ipsilesional primary somatosensory cortex (SI; adjacent to the SI hand area activated in healthy controls); ipsilesional secondary somatosensory cortex (SII); contralesional thalamus; and attention-related frontal and occipital regions in the subcortical group. In contrast, the cortical group did not show significant correlated activity. Yet there was no significant between-group difference in a priori somatosensory regions: only in the superior medial frontal gyrus. A negative correlation was observed in the contralesional thalamus for the total group, irrespective of lesion type.
  - To investigate the relationship between touch discrimination impairment and task-related brain activation in stroke survivors with somatosensory impairment following subcortical or cortical lesions.